

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S42	19	tapperson.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 16:18
S43	8	tapperson.in. and (international adj business adj machine).as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 16:31
S56	1	(international adj business adj machine).as. and (weak with referenc\$4) same (connect\$5 with object)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 16:32
S55	86	(international adj business adj machine).as. and (weak with referenc\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 16:32

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S21	1	"5247520".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 18:27
S20	1	"6047295".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 18:27
S22	1	"5247520".pn. and hash	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 18:28
S23	1	"5796393".pn. and (connect\$ adj object\$2) and (garbage adj collect\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/01 16:07
S24	170	weak adj reference	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 18:29
S26	360	(weak\$4 near3 reference) and (timer (cycle (garbage)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 18:30
S25	32	(weak\$4 near3 reference) and (connect\$4 near3 object)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 18:30
S30	20	(weak\$4 near3 reference) and ((timer cycle) with (garbage)) and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 18:31
S28	38	(weak\$4 near3 reference) and ((timer cycle) with (garbage))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 18:31
S27	101	(weak\$4 near3 reference) and (timer (cycle with (garbage)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 18:31
S31	7	(weak\$4 near3 reference) same ((timer cycle) with (garbage)) and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 18:32

EAST Search History

S34	0	(weak\$4 near3 reference) same ((timer) with (garbage)) and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 18:33
S33	0	(connect\$4 near3 object) and (weak\$4 near3 reference) same ((timer) with (garbage)) and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 18:33
S32	3	(connect\$4 near3 object) and (weak\$4 near3 reference) same ((timer cycle) with (garbage)) and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 18:33
S40	13	(connect\$4 near3 object) same ((time)) same weak\$4 and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 18:34
S39	0	(connect\$4 near3 object) same ((timer)) same weak\$4 and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 18:34
S38	0	(connect\$4 near3 object) same ((timer)) same weak and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 18:34
S37	106	(connect\$4 near3 object) same ((timer)) and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 18:34
S36	1	(weak\$4 near3 reference) same ((timer)) and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 18:34
S35	0	(connect\$4 near3 object) and (weak\$4 near3 reference) same ((timer)) and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 18:34
S41	16	(weak\$4 near3 reference) and (timer (cycle with (garbage))) and (@ad<"20010427" or @rlad<"20010427") and sun.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 18:35
S29	67	(weak\$4 near3 reference) and (timer (cycle with (garbage))) and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 18:35

EAST Search History

S1	1219	object with (store stores stored storing) with (both two second another) with (table hash map) and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 16:23
S44	4811	709/223,227.ccls. and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 16:24
S48	8	709/223,227.ccls. and (@ad<"20010427" or @rlad<"20010427") and (connect\$4 adj object) with referenc\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 16:26
S47	127	709/223,227.ccls. and (@ad<"20010427" or @rlad<"20010427") and (connect\$4 adj object)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 16:26
S46	75	709/223,227.ccls. and (@ad<"20010427" or @rlad<"20010427") and (connection adj object)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 16:26
S45	1	709/223,227.ccls. and (@ad<"20010427" or @rlad<"20010427") and (weak near3 referenc\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 16:26

INTERFERENCE SEARCH

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	37	(conclusion with communicat\$5 with time\$2).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 16:28
L7	347	(maintain\$4 with reference with object).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 16:28
L9	1	(conclusion with communicat\$5 with time\$2).clm. and (maintain\$4 with reference with object).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 16:28
L10	142	(weak with referenc\$4).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 16:28
L11	1	6 and 10	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 16:28
L12	10	7 and 10	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/06 16:28